

Figure 1: Comparison of release of Paclitaxel from silicone elastomer coatings made with and without 20% PEG into calf serum.

Figure 2: Comparison of release of Tranilast from silicone elastomer coatings made with and without 20% PEG into PBS, pH = 7.4.




Figure 3: Comparison of release into PBS, pH = 7.4 of Tranilast from silicone elastomer coatings with topcoats made of silicone and silicone/PEG.





Figure 4. Percent methylene blue released

Figure 5. Percent methylene blue released—reduced scale.




Figure 6. Release rate of Methylene Blue after one week ($r^2 = 0.88-0.98$)




Figure 7. Amount of DENSPM in test disks as a function of disk composition.
Numbers in bold refer to the sample identification number.




Figure 8. Deformation scores of DENSPM-loaded silicone composites after two weeks soaking in phosphate buffered saline at 37C, n=3.




Figure 9. Young's modulus (MPa) of DENS-PM-loaded films prior to gamma irradiation, as a function of composition, n=3.




Figure 10. Young's modulus (MPa) of DENSPM-loaded films after 2.6MRad gamma irradiation, as a function of composition, n=3.





Figure 11. Young's modulus (MPa) of gamma irradiated, DENSPM-loaded films after two weeks soaking, as a function of composition, n=3.






Figure 12. Kinetic release of DENSEPM from PDMS-DENSEPM-PEG composites.

**This Page is Inserted by IFW Indexing and Scanning
Operations and is not part of the Official Record.**

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☒ **FADED TEXT OR DRAWING**
- ☒ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** _____

IMAGES ARE BEST AVAILABLE COPY.

As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.